

PROFILE

NIRMAL TRANS an Indian Company with a belief that stands for achieving excellence through innovation in the transmission industry. Established a decade ago, the company is still in the growing phase, but even as a child company has proved to be a force to reckon with.

Having created customer throughout India, the company has setup an ultra modern manufacturing plant at BRAHI, SONEPAT (HARYANA). The company has its corporate office at Delhi.

NRIMAL TRANS is the only company in industry to have a well-established R&D unit and also believes in continuous Research and Development activities. A specialized wing for R&D ensure product up gradation and innovation in the existing product range.

The company has full-fledged quality control department to take care of quality aspect.

In India the company has a strong distribution network of distributors spread across the country.

NIRMAL TRANS has plans to establish an overseas subsidiary to catch hold of customers all over the world.

The end users of the product are automobile industries, cement industries, Power Corporation, steel industries, oil companies, mining and engineering industries.

The entire range Nixon V-Belts is ISI marked and ISO-9002, QS-9000 Company







OUR QUALITY POLICY

- 1. Complete customer satisfaction.
- 2. Delivery in time.
- 3. Assurance of value for money.

CORPORATE VISION

- 1. We strive to be a part of each and every Indian and International Power Driving Shaft.
- 2. Lots of mounts still unsurpassed and NIRMAL TRANS accept that challenge.
- 3. We have to upgrade and solidify the country's economy while we prosper and flourish in our business.

STATEMENTS

- 1. High quality.
- 2. Easy availability.
- 3. Competitive price.
- 4. Customer-centric approach and striving for 100% customer satisfaction.
- 5. Extensive product range.
- 6. Long term commitment.
- 7. Offer highly differentiated product.
- 8. Developing the brand "NIXON".

RIGHT SET CONCEPT

- 1. No length code.
- 2. Low variation in length tolerance.
- 3. Less center adjustment.
- 4. Low variation in elongation within a set of belts.







- 5. Low stretch and longer life.
- 6. Longer maintenance intervals.
- 7. Less inventory.

NIXON SET FREE BELT TENSIONING

Nixon free set belts are built with exceptionally low belt length tolerance by virtue of latest belt manufacturing technology. Nixon belt length remains matched during storage and on drive.

Install Nixon belts on the pulleys by giving correct tensioning (Ref. Table of measuring belt tension). Run the belts under full load for approx. 24 hours. Stop the drive and check the tension, if necessary re-tension the belts. (Ref. Same Table)

Nominal Length	Length Tolerance (mm)
Up to 1905 mm (75 inches)	= +1 ×
Beyond 1905 mm (75 inches)	The Classical Classical
Up to 3150 mm (124 inches)	+2
Beyond 3150 mm (124 inches)	Aaw Edge Cou
Up to 5004 mm (197 inches)	+3 +3
Beyond 5004 mm (197 inches)	nafifica -
Up to 8992 mm (354 inches)	+4
Beyond 8992 mm (354 inches)	e Selts (Multin) stie8 of
Up to 160002 mm (630 inches)	25 +6 ag-∧ (∂/an

Tolerance maintained for Free Set Belts is more stringent than BS-3790.







Manufacturer of : V-Belts, Fan Belts & Raw Edge Cogged Belts

Regd. Off.: A-61, Teachers Colony, Samaypur, Delhi-110042 Unit I: Plot No. 192, HSIIDC Industrial Estate, Barhi, Sonepat (HR)

Unit II: Plot No. 248, HSIIDC Industrial Estate, Barhi, Sonepat (HR) Unit III: Plot No. 434, HSIIDC Industrial Estate, Barhi, Sonepat (HR)

Ph.: 9899408820

CROSS	T. WIDTH	THICKNESS		
SECTION	(MM)	(MM)	SIZE RANGE	(INCHES
CLASSICAL V-BELTS			7 0	
A	13.0	8	15"	240"
В	17.0	11	20"	275"
C	22.0	14	35"	450"
D	32.0	19	65"	600"
E	38.0	23	120"	698"
F	9.5	8	15"	120"
M	10.0	6.5	15"	150"
0	10.0	6	15"	150"
Z	10.0	6	15"	150"
- K	8.0	6	15"	150"
FM	10.2	8	16"	240"
2L	6.5	4	15"	50"
3L	10.0	6	15"	65"
AL /	13.2	7.8	15"	150"
HEXAGONAL (DOUBLE	V-BELTS			Y
AA	12.7	10.3	55"	240"
BB	17.0	13.5	60"	360"
CC	22.0	18.0	120"	400"
DD	32.0	30.0	120"	550"
HIGH POWER NARROV	N V-BELTS	10	F1 0	
3V	9.5	8.0	15"	150"
5V	15.9	13.5	50"	170"
8V	25.4	22.2	70"	400"
9N	9.0	8.0	16"	150"
10N	10.0	8.0	25"	150"
15N	15.0	13.0	50"	300"
25N	25.0	23.0	80"	400"
S.S. WEDGE V-BELTS	Na87/ (997a	10.		
SPZ	9.7	8.0	15"	150"
SPA	12.7	10.0	30"	240"
SPB	16.3	13.0	45"	350"
SPC	22.0	18.0	75"	500"
AGRICULTURAL V-BEL		10.0		2(1//)
LA LA	13.0	7.0	15"	70"
LB	17.0	10.0	15"	70"
LC	22.0	12.0	35"	70"
4L	13.0	8.0	15"	70"
5L	17.0	9.0	15"	70"
SP20	20.0	12.5	35"	400"
SP25	25.0	16.0	65"	600"
RANDED BELTS (MULT				
RA	13.0	10.0	1500MM	5080MM
RB	17.0	13.0	1525MM	8890MM
RC	22.2	16.0	2500MM	8890MM









Manufacturer of : V-Belts, Fan Belts & Raw Edge Cogged Belts

Regd. Off.: A-61, Teachers Colony, Samaypur, Delhi-110042 Unit I: Plot No. 192, HSIIDC Industrial Estate, Barhi, Sonepat (HR) Unit II: Plot No. 248, HSIIDC Industrial Estate, Barhi, Sonepat (HR) Unit III: Plot No. 434, HSIIDC Industrial Estate, Barhi, Sonepat (HR) Ph.: 9899408820

CROSS	T. WIDTH	THICKNESS	SIZE DANIES	/INICHI
SECTION	(MM)	(MM)	SIZE RANGE	(INCHE
RANDED BELTS (NARR				
R3V	9.5	10.0	1016MM	3556MM
R5V	16.9	15.5	1524MM	9017MM
R8V	25.4	25.0	2540MM	14224MM
SPZ	10.0	10.0	1016MM	3556MM
SPA	13.0	12.0	1500MM	7550MM
SPB	17.0	16.0	1500MM	8000MM
SPC	22.0	20.0	2550MM	8000MM
AW EDGE COGGED &	PLAIN TYPE			
AX	13.0	8.0	16"	90"
BX	17.0	11.0	21"	110"
CX	22.0	14.0	30"	120"
3VX	9.5	8.0	15"	70"
5VX	16.5	13.5	30"	115"
XPZ	9.7	8.0	30"	105"
XPA	12.7	10.0	45"	120"
XPB	16.3	13.0	55"	120"
XPC	22.0	18.0	65"	120"
ARIABLE SPEED BELT	(WRAPPED & COGO	GED TYPE)		
HI CVV	25.0	13.0	80"	250"
HJ	36.0	14.0	43"	150"
HK	40.0	18.0	70"	150"
HL ///	45.0	20.0	70"	180"
HM	50.0	22.0	75"	180"
HN	55.0	22.0	75"	180"
VK	15.0	5.5	30"	70"
VM	20.0	7.0	35"	75"
VA	25.0	8.5	35"	85"
VB	31.0	10.0	40"	85"
VC	41.0	11.5	50"	95"
VD	52.0	13.5	65"	105"
VE	66.0	16.0	65"	105"
VF	76.0	18.0	70"	105"
VG	87.0	20.0	75"	115"
IARVESTOR COMBINE				- S/A/
19 X	19.0	15.0	1600MM	500MM
25 X	25.0	13.0	2150MM	6500MM
28 X	28.0	13.0	1100MM	4000MM
32 X	32.0	15.0	1775MM	5000MM
36 X	36.0	14.0	1775MM	5000MM
38 X	38.0	18.0	1100MM	4000MM
40 X	40.0	13.0	900MM	4000MM
40 X	40.0	18.0	1750MM	4000MM
	46.0	20.0	1750MM	4500MM
45 X		22.0		5000MM
50 X	50.0		1850MM	5000MM
55 X	55.0	22.0	1950MM	
60 X	60.0	25.0	2150MM	4000MM
		-	T =00	400004
				4000MM
2 PK TO 32 2 PJ TO 32		775)	500MM 500MM	4000N











भारत सरकार Government of India सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय



Ministry of Micro, Small and Medium Enterprises

Udvam Registration Number: U	UDYAM-DL-06-0019318
------------------------------	---------------------

Type of Enterprise	MICRO	Major Activity	Manufacturing
Type of Organisation	Private Limited Company	Name of Enterprise	M/S NIRMAL TRANS BELTS PRIVATE LIMITED
Owner Name	M/S NIRMAL TRANS BELTS PRIVATE LIMITED	PAN	AAGCN8876Q
Do you have GSTIN	Yes	Mobile No.	9810680612
Email Id	nirmaludyog192@hotmail.com	Social Category	General
Gender	Male	Specially Abled(DIVYANG)	No
Date of Incorporation	17/02/2020	Date of Commencement of Production/Business	17/02/2020

Bank Details

Bank Name	IFS Code	Bank Account Number
hdfc bank	HDFC0004782	59229810680612

Employment Details

Male	Female	Other	Total
50	0	0	50

Investment in Plant and Machinery OR Equipment (in Rs.)

S.No	Financial Year	Enterprise Type	Written Down Value (WDV)	Exclusion of cost of Pollution Control, Research & Development and Industrial Safety Devices	Net Investment in Plant and Machinery OR Equipment(A)	Total Turnover (A)	Export Turnover (B)	Net Turnover [(A)-(B)]	Is ITR Filled?	
1	2019-20	Micro	0.00	0.00	0.00	0.00	0.00	0.00	No	NA

Unit(s) Details

SN	Unit Name	Flat	Building	Village/Town	Block	Road	City	Pin	State	District
1	NIRMAL TRANS BELTS PRIVATE LIMITED	Plot no 192	NIRMAL TRANS BELT PVT LTD	BARHI	BARHI	HSIIDC INDUSTRIAL ESTATE	BARHI	131101	HARYANA	SONIPAT

Official address of Enterprise

Flat/Door/Block No.	61	nirmal trans belt pvt ltd	
Village/Town	samaypur	Block	samaypur
Road/Street/Lane	teachers colony	City	samaypur
State	DELHI	District	NORTH WEST , Pin : 110042
Mobile	9810680612	Email:	nirmaludyog192@hotmail.com

National Industry Classification Code(S)

SNo.	Nic 2 Digit	Nic 4 Digit	Nic 5 Digit	Activity
1	22 - Manufacture of rubber and plastics products	2219 - Manufacture of other rubber products	22192 - Manufacture of rubber conveyor or transmission belts or belting	Manufacturing

Are you interested to get registered on Government e-Market (GeM) Portal	Yes
Are you interested to get registered on TReDS Portals(one or more)	Yes
District Industries Centre	DELHI (DELHI)
MSME-DI	DELHI (DELHI)
Date of Udyam Registration	15/06/2021

List of Customers

- > Steel Authority of India Limited Durgapur.
- > South Eastern Coalfield Limited SECL Bilaspur.
- Maharastra State Power Generation Pvt Ltd Chandrapur.
- NTPC Limited Dadri Gautam Budh Nagar U.P.
- Maharastra State Power Generation Company Limited Koradi Nagpur Maharastra.
- Damodar Valley Corporation Burdwan, West Bengal
- > Ordnance Factory Muradnagar, U.P.
- Bharat Cooking Coal Limited Dhanbad, Jharkhand
- Nuclear Power station Madras Region.
- Indian Oil Corporation Ltd. Vadodara, Jawaharnagar
- **➢** Gujarat State Road Transport.
- > Bhatia Wine Merchants Pvt. Ltd.(Seagram's Drinks)
- Narmada Drinks Pvt. Ltd. (Coca Cola)
- Sri Krishna Pharmaceuticals Ltd.
- KSK Mahanadi Power Company Ltd.
- DCM Sriram Industries Ltd
- > Jindal Steel & Power.
- Nutan Ispat & Power Pvt Ltd.
- Chhattisgarh State Power Generation Co Ltd.







